

## **IN THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A sterilization process challenge device comprising:  
a sterilization indicator contained within a container; and  
a variable diffusion restriction into said container.
2. (Original) A sterilization process challenge device according to claim 1  
wherein the sterilization indicator is a biological indicator.
3. (Original) A sterilization process challenge device according to claim 1  
wherein the sterilization indicator is a chemical indicator indicative of a chemical  
sterilant.
4. (Original) A sterilization process challenge device according to claim 1  
wherein the variable diffusion restriction comprises a diffusion path into said container.
5. (Original) A sterilization process challenge device according to claim 4  
wherein the diffusion path comprises an adjustable covering for said path to block or  
unblock portion of said diffusion path.
6. (Presently Amended) A sterilization process challenge device according to claim  
5 wherein the container comprises a first member and second member disposed in  
telescoping relation with ~~the~~ a plurality of openings disposed on the first member and the  
second member forming the adjustable covering.
7. (Original) A sterilization process challenge device according to claim 4 wherein  
the diffusion path comprises a plurality of openings.
8. (Original) A sterilization process challenge device according to claim 7  
wherein openings are different in size.

9. (Original) A sterilization process challenge device according to claim 7 wherein at least one opening is covered with a removable covering.

10. (Original) A sterilization process challenge device according to claim 4 wherein the diffusion path comprises a slot.

11. (Original) A sterilization process challenge device according to claim 4 wherein the diffusion path comprises a long narrow path, wherein the diffusion path can be adjusted by trimming the length of the path.

12. (Original) A sterilization process challenge device according to claim 11 wherein the diffusion path comprises at least two materials wherein said materials have different capabilities to retain sterilant.

13. (Original) A sterilization process challenge device according to claim 4 wherein the diffusion path further comprises a sterilant absorber such that the amount of sterilant diffusing to the indicator can be adjusted by the type or the size of the absorber.

14. (Original) A method for assessing the sterilization efficacy of a sterilization process comprising the steps of:

placing a sterilization process challenge device in proximity to a device to be sterilized during the sterilization process, the sterilization process challenge device comprising a container, a sterilization indicator within the container, an opening into said container and an adjustable diffusion restriction at said opening;

assessing a feature of a load of one or more devices to be sterilized in said sterilization process;

adjusting the amount of diffusion restriction provided by said diffusion restriction based upon said feature of said load; and

indicating the sterilization efficacy with the indicator.

15. (Original) A method according to claim 14 wherein the step of adjusting the amount of diffusion restriction comprises adjusting an area of the opening into the container.

16. (Original) A method according to claim 15 wherein the area of the opening is adjusted by covering or uncovering the opening into the container.

17. (Original) A method according to claim 16 wherein the opening comprises a plurality of apertures in a wall of the container.

18. (Original) A method according to claim 14 wherein the diffusion restriction comprises a path into the container and the step of adjusting the amount of diffusion restriction comprises adjusting the length of the path.

19. (Original) A method according to claim 14 wherein the step of adjusting the diffusion restriction comprises adjusting an amount of absorbent material placed adjacent the indicator.

20. (Original) A method according to claim 14 wherein the indicator indicates whether a reference organism remains viable.

21. (Original) A method according to claim 14 wherein the indicator indicates whether a sufficient amount of a sterilizing gas was present during the sterilization process.